Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S166	69	("1587023" | "2981819" | "3047438" | "3108713" | "3160517" | "3188459" | "3227065" | "3239651" | "3240915" | "3460510" | "3502516" | "3623712" | "3627590" | "3661637" | "3692572" | "3836751" | "3913872" | "4041278" | "4081313" | "4097226" | "4101759" | "4115163" | "4151008" | "4164643" | "4220483" | "4224096" | "4233493" | "4308078" | "4315130" | "4331485" | "4370175" | "4375993" | "4379727" | "4398094" | "4421048" | "4431459" | "4455479" | "4493977" | "4533820" | "4539431" | "4540876" | "4550245" | "4550684" | "4567352" | "4649261" | "4680447" | "4698486" | "5219786" | "5336641" | "5399506" | "5446825" | "5561735" | "5908307" | "6051483" | "6303411" | "RE24296").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/24 11:33
S167	4	oscillat$4 with frequency with (tunning adjusting regulat$3) and (heat heating) near2 (local$5 select$3) and (ferromagnetic nickel$1cobalt)	USPAT; EPO; JPO	OR	ON	2005/08/24 11:47
S168	116	oscillat$4 with frequency and (tunning adjusting regulat$3) and (heat heating) near2 (local$5 select$3 treat$4) and (ferromagnetic nickel$1cobalt)	USPAT; EPO; JPO	OR	ON	2005/08/24 11:52
S169	103	(oscillat$4 frequency) same induct$3 near2 heating and (tun$4 adjust$3 regulat$3) and (heat heating) near3 (local$5 treat$4) and (ferromagnetic nickel$1cobalt)	USPAT; EPO; JPO	OR	ON	2005/08/24 11:56
S170	6	induct$3 near2 heating and (heat heating) near3 (local$5 treat$4) and (ferromagnetic nickel$1cobalt Ni$1Co) same (anneal$3 harden$3) same (substrate board wafer)	USPAT; EPO; JPO	OR	ON	2005/08/24 12:03
S171	15	induct$3 near2 heating and (heat heating) near3 (local$5 treat$4) and (ferromagnetic nickel$1cobalt Ni$1Co) and (anneal$3 harden$3) same (substrate board wafer)	USPAT; EPO; JPO	OR	ON	2005/08/24 12:07
S172	13	("20010014268" | "20010021570" | "20020183721" | "20030010775" | "2393541" | "4007369" | "4980198" | "4983804" | "6096149" | "6288376" | "6368673" | "6465281").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/24 12:05

S17 3	7	induct$3 near3 heating same (local$5 treat$4) and (ferromagnetic nickel$1cobalt Ni$1Co) and (anneal$3 harden$3) same (substrate board wafer)	USPAT; EPO; JPO	OR	ON	2005/08/24 12:08
S17 4	6	induct$3 near3 heating same (local$5 treat$4) and (ferromagnetic nickel$1cobalt Ni$1Co) and heat$3 near3 (pin contact spring pad land connector) with (substrate board wafer)	USPAT; EPO; JPO	OR	ON	2005/08/24 12:11
S17 5	34	.heating with (local$5 treat$4) and (ferromagnetic nickel$1cobalt Ni$1Co) and heat$3 near3 (pin contact spring pad land connector) with (substrate board wafer)	USPAT; EPO; JPO	OR	ON	2005/08/24 12:13
S17 6	215	heat$3 with (local$5 treat$4) and (ferromagnetic nickel$1cobalt Ni$1Co nickel) near4 (pin contact spring pad land connector) with (substrate board wafer)	USPAT; EPO; JPO	OR	ON	2005/08/24 12:19
S17 7	418	(induct$3 electromagnetic frequency) near3 (heating heater heat) and heat$3 with (local$5 treat$4) and (ferromagnetic nickel$1cobalt Ni$1Co nickel) and (pin contact spring pad land connector) with (substrate board wafer)	USPAT; EPO; JPO	OR	ON	2005/08/24 12:21
S17 8	50	(induct$3 electromagnetic frequency) near3 (heating heater heat) and heat$3 with (local$5 treat$4) and (ferromagnetic nickel$1cobalt Ni$1Co nickel) same (pin contact spring pad land connector) with (substrate board wafer)	USPAT; EPO; JPO	OR	ON	2005/08/24 12:33
S17 9	12	("2393541" | "3391846" | "3462336" | "3620875" | "3657038" | "3941641" | "4035547" | "4067765" | "4762864"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/24 12:31
S18 0	10	("5124203").URPN.	USPAT	OR	ON	2005/08/24 12:32
S18 1	263	(induct$3 electromagnetic frequency) near3 (heating heater heat) and heat$3 near3 (local$5 treat$4) and (ferromagnetic nickel$1cobalt Ni$1Co nickel) with (substrate board wafer)	USPAT; EPO; JPO	OR	ON	2005/08/24 12:34
S18 2	27	("4239835").URPN.	USPAT	OR	ON	2005/08/24 12:42
S18 3	27	("4239835").URPN.	USPAT	OR	ON	2005/08/29 14:35

S184	9	("4987283").URPN.	USPAT	OR	ON	2005/08/29 14:39
S185	32	("1975436" | "1975437" | "2393541" | "3391846" | "3548140" | "3900153" | "3902940" | "3923580" | "4035547" | "4107506" | "4256945" | "4290195" | "4327265" | "4431891" | "4642442" | "4659912" | "4665309" | "4695713" | "4749833" | "4771151" | "4788404" | "4789767" | "4795870" | "4852252" | "4914267" | "4983804" | "4987283").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/29 14:41
S186	697	(conductive conducting) near2 (heating heater) and (heat$1treatment anneal$3)	USPAT; EPO; JPO	OR	ON	2005/08/29 14:49
S187	132	(conductive conducting) near2 (heating heater) and (heat$1treatment anneal$3) and (subtrate board)	USPAT; EPO; JPO	OR	ON	2005/08/29 14:53
S188	27	(inductive inducting) near2 (heating heater) and (heat$1treatment anneal$3) and (subtrate board)	USPAT; EPO; JPO	OR	ON	2005/08/29 14:55
S189	32	(inductive inducting frequency electromagnetic) near5 (heating heater) and ((heat$3 near2 treat$4) anneal$3) same (subtrate board)	USPAT; EPO; JPO	OR	ON	2005/08/29 17:12
S190	10	("5124203").URPN.	USPAT	OR	ON	2005/08/29 15:29
S191	3	("4050269" | "4911948" | "5740729").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/29 16:31
S192	10	("4911948").URPN.	USPAT	OR	ON	2005/08/29 16:32

S19 3	73	("2087480" | "2393541" | "2760243" | "3391846" | "3395261" | "3461014" | "3462336" | "3477961" | "3507735" | "3528867" | "3574031" | "3620875" | "3620876" | "3657038" | "3709775" | "3730804" | "3816574" | "3900360" | "3902940" | "3941641" | "3996402" | "4029837" | "4035547" | "4090899" | "4313777" | "4435465" | "4521659" | "4626642" | "4762864" | "4859524" | "4871412" | "4878978" | "4969968" | "5075034" | "5123989" | "5124203" | "5126521" | "5129977" | "5240542" | "5248864" | "5313034" | "5338497" | "5340428" | "5352517" | "5357085" | "5378879" | "5406055" | "5412185" | "5447592" | "5481091" | "5483043" | "5508496" | "5529708" | "5538581" | "5550511" | "5571436" | "5624594" | "5641422" | "5683608").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/29 16:51
S19 4	0	(induct$3 frequency electromagnetic) near5 (heating heater) and ((heat$3 near2 treat$4) anneal$3) and ferromagnetic with (subtrate board)	USPAT; EPO; JPO	OR	ON	2005/08/29 17:14
S19 5	86	(induct$3 frequency electromagnetic) near5 (heating heater) and ((heat$3 near2 treat$4) anneal$3) and without with (subtrate board)	USPAT; EPO; JPO	OR	ON	2005/08/29 17:16
S19 6	309	((heat$3 near2 treat$4) anneal$3) and without with heat$3 with (subtrate board)	USPAT; EPO; JPO	OR	ON	2005/08/29 17:16
S19 7	98	((heat$3 near2 treat$4) anneal$3) same without with heat$3 with (subtrate board)	USPAT; EPO; JPO	OR	ON	2005/08/29 17:16
S19 8	2	"2393541".pn.	USPAT; EPO; JPO	OR	ON	2005/09/01 16:12
S19 9	52	("2393541").URPN.	USPAT	OR	ON	2005/09/01 16:09
S20 0	1	"2457758".pn.	USPAT; EPO; JPO	OR	ON	2005/09/01 16:12
S20 1	2	("2457758").URPN.	USPAT	OR	ON	2005/09/01 17:36
S20 2	1004	(anneal$3 (heat$3 near2 treat$4)) with induct$3 near3 heat$3	USPAT	OR	ON	2005/09/01 17:38
S20 3	43	(anneal$3 (heat$3 near2 treat$4)) with induct$3 near3 heat$3 and (substrate board wafer) with (contact connector pin land terminal)	USPAT	OR	ON	2005/09/01 17:39
S20 4	5	("5418811").URPN.	USPAT	OR	ON	2005/09/01 18:08